2024 RESOURCES

Dermatology Procedures in Primary Care

Removal of Sutures/Staples

- Suture/Staple removal (2023)
 - 15853: remove sutures or staples without anesthesia
 - 15854: remove sutures AND staples without anesthesia
- Any physician. No "-25" modifier is needed, just add code on.
- No wRVUs for these two codes. Is OK to use the "nurse visit" 99211
 (0.18 wRVU) if you did NOT do the procedure (10d global)

Simple Repair – Location and Sum of Lengths

Simple repair of wounds to scalp, neck, axilla, external genitalia, trunk, arms, legs, hands or feet

- I 200 I 2.5cm or less \$86/wRVU 0.84
- **12002** 2.6cm to 7.5cm \$105/wRVU 1.14
- **12004** 7.6cm to 12.5cm \$123/wRVU 1.44
- I2005 | 12.6cm to 20 \$164/wRVU | 1.44
- I 2006 20.1cm to 30cm \$189/wRVU 2.39
- **12007** over 30cm \$215/wRVU 2.90

-25 and E&M if needed Add up lengths

Simple repair of wounds of face, ears, eyelids, nose, lips

- **12011** 2.5cm or less \$103/wRVU 1.07
- I2013 2.6cm to 5cm \$107/wRVU 1.22
- I2014 5.1cm to 7.5cm \$132/wRVU 1.57
- **12015** 7.6cm to 12.5cm \$159/wRVU 1.98
- **12016** 12.6cm to 20cm \$202/wRVU 2.68
- **12017** 20.1cm to 30cm \$144/wRVU 3.18
- I2018 over 30cm \$162/wRVU 3.61

Intermediate Wound Repair – Note location/size (< 2.5cm is simple)

Intermediate repair of wounds to scalp, axilla, trunk, arms/legs (no hands or feet)

- I203 I 2.5cm or less
 - **\$241/wRVU: 2.00**
- 12032 2.6cm to 7.5cm
 - \$279/wRVU 2.52
- I2034 7.6cm to 12.5cm
 - **\$308/wRVU: 2.97**
- **12035** 12.6cm to 20cm
 - **\$358/wRVU: 3.50**
- **12036** 20.1cm to 30cm
 - **\$399/wRVU: 4.23**
- **12037** over 30cm
 - \$449/wRVU: 5.00

-25 and E&M if needed Add up lengths

Intermediate repair of wounds of face, ears, eyelids, nose, lips

- **1205** I 2.5cm or less
 - \$260/wRVU 2.33
- **12052** 2.6cm to 5.0cm
 - \$290/wRVU: 2.87
- **12053** 5.1cm to 7.5cm
 - \$334/wRVU: 3.17
- **12054** 7.6cm to 12.5cm
 - **\$352/wRVU: 3.50**
- **12055** 12.6cm to 20cm
 - \$462/wRVU: 4.50
- **12056** 20.1cm to 30cm
 - \$532/wRVU: 5.30
- **12057** over 30cm
 - \$558/wRVU 6.00

Intermediate repair of wounds of neck, hands, feet or external genitalia

- **12041** 2.5cm or less
 - **\$242/wRVU 2.10**
- **12042** 2.6cm to 7.5cm
 - **\$285/wRVU:2.79**
- **12044** 7.6cm to 12.5cm
 - **\$352/wRVU:3.19**
- **12045** 12.6cm to 20cm
 - **\$380/wRVU:3.75**
- **12046** 20.1cm to 30cm
 - **\$459/wRVU:4.30**
- **12047** over 30cm
 - **\$503/wRVU:4.95**

Complex Wound Repair - Note size/location (< 1.0cm is intermediate option)

Complex repair of trunk

- **I3100** 1.1cm to 2.5cm
 - \$313/wRVU: 3.00
- **I3101** 2.6cm to 7.5cm
 - \$364/wRVU: 3.50
- +13102 add-on code used for each additional 5cm
 or less
 - \$107/wRVU: I.24

- Complex repair of scalp, arms or legs
- **13120** I.1cm to 2.5cm
 - **\$326/wRVU: 3.23**
- **13121** 2.6cm to 7.5cm
 - **\$391/wRVU: 4.00**
- +13122 add-on code used for each additional 5cm or less
 - **\$117/wRVU: 1.44**

- -25 and E&M if needed
- Add up lengths

Complex Laceration Repair - continued

Complex repair of forehead, cheeks, chin, mouth, neck axilla, genitalia, hands or feet

- **13131** 1.1cm to 2.5cm
 - \$357/wRVU 3.73
- **I3132** 2.6cm to 7.5cm
 - \$434/wRVU 4.78
- +13133 add-on code used for each additional 5cm or less
 - \$156/wRVU 2.19

Complex repair of eyelids, nose, ears or lips

- I3I5I 1.1cm to 2.5cm
 - **\$390/wRVU 4.34**
- **I3152** 2.6cm to 7.5cm
 - **\$458/wRVU 5.34**
- +13153 add-on code used for each additional 5cm or less
 - \$171/wRVU 2.38

⁻²⁵ and E&M if needed Add up lengths. **Need > I cm to be complex**

Surgical Coding - biopsy

- IIO2 Tangential biopsy of skin (e.g., shave, scoop, "saucerize", curette); single lesion
- + 1 1 03 Tangential biopsy of skin (e.g., shave, scoop, "saucerize", curette); each separate/additional lesion
 - wRVU: 0.66 + 0.38
- III04 Punch biopsy of skin (including simple closure, when performed); single lesion
- +1105 Punch biopsy of skin (including simple closure, when performed); each separate/additional lesion
 - wRVU: 0.83 + 0.45
- III06 Incisional biopsy of skin (e.g., wedge) (including simple closure, when performed); single lesion
- +1107 Incisional biopsy of skin (e.g., wedge) (including simple closure, when performed); each separate/additional lesion
 - wRVU: 1.01 + 0.54

Management: Incision and Drainage Abscess, Furuncle, Carbuncle or Hidradenitis

Simple or single

 10060 small incision is made, abscess is opened, drained and irrigated; the wound is left open for continued drainage 1.22 wRVU/\$117

Complicated or multiple

• 1006 I report for multiple or complicated, usually requiring gauze packing or a drain placed and could require additional management at a later date. Loculations. 2.45 wRVU/\$199

- Don't forget "-25" and add to E&M for Medical Necessity
- When two or more ... complicated/multiple (and more \$\$\$)
- Both of the above have 10-day global periods
- Different codes for pilonidal, hematoma, post-operative, Bartholin's abscess/cyst

Management: Incision and Removal of Foreign Body (FBR) Simple/Cutaneous and Complicated

- Simple, subcutaneous
 - IOI20 incision is made in the skin to remove foreign body embedded in subcutaneous tissue. Skin may be closed or allowed to heal secondarily. I.22 wRVU/\$140

Complicated

 IOI2I report if the procedure is more complicated, requiring dissection of underlying tissues.
 Adhesion/scar breakdown. Postprocedure x-ray. 2.74 wRVU/\$244

- Don't forget "-25" and add to E&M for Medical Necessity
- Note location
- Both of the above have 10-day global periods

Acrochordon (skin tag)

- Skin tags are harmless, benign, fibrocutaneous, skin growths found in many body regions, often in creases, more often in females and more common in diabetics and those with obesity.
- Removal of skin tags is not generally considered a covered procedure and is viewed as cosmetic unless there is documentation of excessive irritation and discomfort.
- Removal may be done by forceps, scissors, blade, ligation, chemical or electrosurgical destruction (all are paid the same)
- I I 200 removal of multiple skin tags, multiple body areas up to and including
 I besions. 0.82 wRVU/\$85
- +11201 each additional 10 lesions, or part thereof. 0.29 wRVU/\$17

Management: Shaving of Epidermal or Dermal Lesions

Trunk, arms or legs

- I I 300 diameter 0.5cm or less.
 - \$91/wRVU: 0.60
- **II30I** 0.6cm to 1cm
 - \$111/wRVU: 0.90
- **II302** I.lcm to 2cm
 - \$125/wRVU: 1.05
- **I I 303** lesions >2cm.
 - \$139/wRVU: 1.25

Scalp, neck, hands, feet, genitalia

- I I 305 diameter 0.5cm or less.
 - \$96/wRVU: 0.80
- I I 306 0.6cm to 1cm
 - \$112/wRVU: 0.96
- **II307** I.lcm to 2cm
 - \$127/wRVU: 1.20
- I 1308 lesions >2cm
 - \$134/wRVU: 1.46
- Use -25 if needed, provide separate documentation
- Note size and location. Malignant or benign is the same.
- Shave procedures have 0 global days

Face, ears, eyelids, nose, lips, mucous membrane

- I 1310 diameter 0.5cm or less.
 - **\$106/wRVU: 0.80**
- 11311 0.6cm to 1cm
 - \$125/wRVU: 1.10
- 11312 1.1cm to 2cm
 - \$142/wRVU: 1.30
- 11313 lesions >2cm
 - \$166/wRVU: 1.68

Management: Excision of Benign Lesions

Trunk, arms or legs

- I I 400 diameter < 0.5cm
 - \$117/wRVU:0.90
- I | 40 | 0.6cm to | cm
 - \$144/wRVU: 1.28
- I 1402 | .1 cm to 2cm
 - \$158/wRVU:1.45
- I 1403 2.1cm to 3cm
 - \$183/wRVU:1.84
- I I 404 3.1cm to 4cm
 - \$207/wRVU:2.11
- I I 406 over 4.0cm
 - \$295/wRVU:3.52

Scalp, neck, hands, feet, genitalia

- I 1420 diameter < 0.5cm
 - \$116/wRVU 1.03
- **11421** 0.6cm to 1cm
 - \$147/wRVU 1.47
- **11422** 1.1cm to 2cm
 - \$165/wRVU:1.68
- **11423** 2.1cm to 3cm
 - \$190/wRVU:2.06
- I1424 3.1cm to 4.0cm
 - \$220/wRVU 2.48
- **11426** over 4.0cm
 - \$305/wRVU 4.09

Face, ears, eyelids, nose, lips, mucous membranes

- I I 440 diameter < 0.5cm
 - \$132/wRVU:1.05
- I 144 I 0.6cm to I cm
 - \$161/wRVU:1.53
- **11442** 1.1cm to 2cm
 - \$178/wRVU:1.77
- **11443** 2.1cm to 3cm
 - \$211/wRVU:2.34
- **11444** 3.1cm to 4.0cm
 - \$263/wRVU:3.19
- **I I 446** over 4.0cm
 - \$357/wRVU 4.80

Use -25 if needed, provide separate documentation for E&M If layered closure is used (>2.5cm), then document and bill second procedure Note size and location

Excision procedures have 10 global days

Management: Excision of Malignant Lesions

Trunk, arms or legs

- 11600 diameter 0.5cm or less.
 - I.63 wRVU/\$114
- **II60I** 0.6cm to Icm
 - **2.07** wRVU/\$211
- I 1602 | .1 cm to 2cm
 - **2.27** wRVU/\$226
- **11603** 2.1cm to 3cm
 - **2.82** wRVU/\$257
- I1604 3.1cm to 4cm
 - **3.17** wRVU/\$287
- I 1606 over 4.0cm
 - 5.02 wRVU/\$414

Scalp, neck, hands, feet, genitalia

- I 1620 diameter 0.5cm or less.
 - I.64 wRVU/\$182
- 11621 0.6cm to 1cm
 - 2.08 wRVU/\$211
- **11622** 1.1cm to 2cm
 - 2.41 wRVU/\$234
- I1623 2.1cm to 3cm
 - 3.11 wRVU/\$274
- I1624 3.1cm to 4.0cm
 - 3.62 wRVU/\$312
- **11626** over 4.0cm
 - 4.61 wRVU/\$375

Face, ears, eyelids, lips, nose, mucous membranes

- I 1640 diameter < 0.5cm
 - I.67 wRVU/\$187
- **11641** 0.6cm to 1cm
 - 2.17 wRVU/\$218
- **11642** l.lcm to 2cm
 - 2.62 wRVU/\$247
- **11643** 2.1cm to 3cm
 - 3.42 wRVU/\$291
- **11644** 3.1cm to 4.0cm
 - 4.34 wRVU/\$360
- **I I 646** over 4.0cm
 - 6.26 wRVU/\$468
- Use -25 if needed, w/ separate documentation for E&M, If layered closure is used (>2.5cm), then document and bill second procedure
- Note size and location and if malignant (so, hold bill pending pathology); Excision procedures have 10 global days
 Regional HealthPlus

Malignant vs Benign Reimbursement

- Trunk, arms or legs (Benign)
 - I | 400 diameter < 0.5cm
 - 0.90 wRVU/\$117
 - **1140** | 0.6cm to 1cm
 - I.28 wRVU/\$144
 - I | 402 | 1.1cm to 2cm
 - I.45 wRVU/\$158
 - **II403** 2.1cm to 3cm
 - I.84 wRVU/\$183

- Trunk, arms or legs (Malignant)
 - **11600** diameter < 0.5cm
 - I.63 wRVU/\$181
 - **11601** 0.6cm to 1cm
 - 2.07 wRVU/\$211
 - **I I 602** I.Icm to 2cm
 - 2.27 wRVU/\$226
 - **11603** 2.1cm to 3cm
 - 2.82 wRVU/\$257

Destruction of Benign Lesions - Number of Lesions

- Cryosurgery, curettement, chemosurgery, electrosurgery, laser
 - 17110 Destruction, any method; first 14 lesions

• 17111 Destruction, any method 15+ lesions

0.70 wRVU/\$104

0.97 wRVU/\$122

- Use -25 if needed, provide separate documentation for E&M
- I use this for wart removal
- After 15, bill only 17111, not both
- Destruction procedures have 10 global days

Destruction of Premalignant Lesions - Number of Lesions

- Cryosurgery, curettement, chemosurgery, electrosurgery, laser
 - 17000 Destruction, any method; first lesion

0.61 wRVU/\$62

- +17003 Destruction second through 14 lesions, each (list in addition to 17000) 0.04 wRVU/\$6
- **17004** Destruction 15 or more lesions (do not report 17000 & 17003)

1.37 wRVU/\$154

- Use -25 if needed, provide separate documentation for E&M
- 17003 is placed for EACH lesion after the first. This is my AK method
- Code by number, but 17004 is stand-alone (15+)
- Destruction procedures have 10 global days

Destruction of Malignant Lesions – Site and Size

Trunk, arms or legs

- **17260** diameter < 0.5cm
 - (\$92/wRVU: 0.96)
- 17261 0.6cm to 1cm
 - (\$137/wRVU: 1.22)
- **17262** 1.1cm to 2cm
 - (\$165/wRVU: 1.63)
- **17263** 2.1cm to 3cm
 - (\$178/wRVU: 1.84)
- **17264** 3.1cm to 4cm
 - (\$191/wRVU: 1.99)
- 17266 over 4.0cm
 - (\$218/wRVU: 2.39)

Scalp, neck, hands, feet, genitalia

- **17270** diameter < 0.5cm
 - (\$138/wRVU: 1.37)
- **1727 I** 0.6cm to 1cm
 - (\$154/wRVU: 1.54)
- 17272 L.lcm to 2cm
 - (\$174/wRVU: 1.82)
- 17273 2.1cm to 3cm
 - (\$194/wRVU: 2.10)
- **17274** 3.1cm to 4.0cm
 - (\$227/wRVU: 2.64)
- **17276** over 4.0cm
 - (\$263/wRVU: 3.25)

Face, ears, eyelids, nose, lips, mucous membrane

- 17280 diameter < 0.5cm
 - (\$130/wRVU: 1.22)
- **17281** 0.6cm to 1cm
 - (\$166/wRVU: 1.77)
- 17282 | .1 cm to 2cm
 - (\$190/wRVU: 2.09)
- 17283 2.1cm to 3cm
 - (\$225/wRVU: 2.69)
- **17284** 3.1cm to 4.0cm
 - (\$256/wRVU: 3.20)
- **17286** over 4.0cm
 - (\$330/wRVU: 4.48)
- Use -25 if needed, provide separate documentation for E&M with your diagnosis
- Note size and location. This is my ED&C procedure
- Destruction procedures have 10 global days